

Product Information

Human Hepatic Sinusoidal Endothelial Cells (HHSEC)

Catalog Number	10HU-021	Cell Number	0.5 million cells/vial
Species	<i>Homo sapiens</i>	Storage Temperature	Liquid Nitrogen

Description

Human liver contains two distinct endothelial cell types: vascular and sinusoidal. Human Hepatic Sinusoidal endothelial cells (HHSECs) are microvascular endothelial cells. Compared to other endothelial cells, HHSECs exhibits a unique phenotype—function as dendritic cells to present antigen for CD4+ T cells. Thus, HHSECs actively involved in the regulation of the immune response in the liver ^[1]. HHSECs are also actively involved in liver repair as dynamic regulators respond rapidly and locally to environmental zonal stimuli ^[2].

iXCells Biotechnologies offers HHSECs from human liver (Figure 1). These HHSEC are CD31 positive (>98%) and vWF positive (>99%) (Figure 2). HHSECs are negative for HIV-1, HBV, HCV, mycoplasma, bacteria, yeast, and fungi. These cells can be maintained in Endothelial Cell Growth Medium (Cat# MD-0010) for least 10 passages, but for research purpose these cells should be used within 8 passages.




Figure 1. Human Hepatic Sinusoidal endothelial cells (HHSECs) (phase contrast).




Figure 1. HHSECs provided by iXCells are positive for CD31 (A) and vWF (B), as shown by immunostaining. Flow analysis showed that more than 98% of cells are CD31 positive (A'), and more than 99% are vWF positive (B').

Product Details

Tissue	Normal human liver
Package Size	0.5 x 10 ⁶ cells/vial
Passage Number	P2
Shipped	Cryopreserved
Storage	Liquid nitrogen
Growth Properties	Adherent
Media	Endothelial Cell Growth Medium (Cat# MD-0010)

Protocols

Thawing of Frozen Cells

1. Upon receipt of the frozen cells, it is recommended to thaw the cells and initiate the culture immediately in order to retain the highest cell viability.
2. To thaw the cells, put the vial in 37°C water bath with gentle agitation for ~1 minute. Keep the cap out of water to minimize the risk of contamination.
3. Pipette the cells into a 15ml conical tube with 5ml fresh Endothelial Cell Growth Medium (Cat# MD-0010).
4. Centrifuge at 1000rpm (~220g) for 5 minutes under room temperature.
5. Remove the supernatant and resuspend the cells in fresh Endothelial Cell Growth Medium.
6. Culture the cell in T75 flask.

Safety Precaution: *it is highly recommended that protective gloves and clothing should be used when handling frozen vials.*

Standard Culture Procedure

1. HHSECs can be cultured in Endothelial Cell Growth Medium (Cat# MD-0010).
2. When cells reach ~80-90% confluence, remove the medium, and wash once with sterile PBS (5ml/T75 flask).
3. Add ~2.5ml of 0.25% Trypsin-EDTA to the flask and incubate for ~3 minutes at 37°C. Neutralize the enzyme by adding 2-3 volumes of cell culture medium.
4. Centrifuge 1000rpm (~220g) for 5min and resuspend the cells in desired volume of medium.
5. Seed the cells in the new culture vessels at 5×10^3 cells/cm².

References

- [1] Limmer A, and Knolle PA. Liver sinusoidal endothelial cells: a new type of organ-resident antigen-presenting cell. Arch Immunol Ther Exp (Warsz) 2001; 49 (1): S7-11.
- [2] Wach KE etc. Sinusoidal ultrastructure evaluated during the revascularization of regenerating rat liver. Hepatology 2001; 33 (2): 363-378.

Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans. While iXCells Biotechnologies uses reasonable efforts to include accurate and up-to-date information on this product sheet, we make no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. iXCells Biotechnologies does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. iXCells Biotechnologies is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, iXCells Biotechnologies is not liable for damages arising from the misidentification or misrepresentation of cultures.
© iXCells Biotechnologies 2015. All rights reserved.